



Litter Treatment

The poultry litter ammonia gitter!

Compare

- ◆ One treatment per cycle—even for large bird production
- ◆ Costs 20-40% less per sq. ft.
- ◆ No down-time—birds can be delivered right after application
- ◆ Does not damage houses or equipment—not acid-based
- ◆ Ease of use—no complicated application protocols
- ◆ No risk to poultry or workers during or after application

Benefits

- ◆ Significant reduction in ammonia levels (ppm)
- ◆ Decrease in mortality throughout the growth cycle of the flock
- ◆ Improved feed conversion
- ◆ Reduction in disease and breast/foot burning
- ◆ Grow-out period reduced by up to one week
- ◆ Reduced need for ventilation

1 gallon

Directions for Use

Mix product with a small amount of water and apply following litter preparation. Use only enough water to provide complete coverage depending on your sprayer's specifications, typically 25 total gallons of liquid. **Initial treatment:** 17.5 gallons of product and up to 7.5 gallons of water. **Regular treatment:** 15 gallons of product and up to 10 gallons of water. White flakes may appear on the surface of the product and are natural due to live cultures. A filter funnel is recommended to remove any particles that might clog sprayer nozzles.

poultrySolution™ is a live microbial product and must be applied within 30 days for full benefit. When used as directed, product poses no risk to the health or well-being of poultry or humans.

Store out of direct sunlight at room temperature. Do not freeze.

Ingredients

Active Ingredients - Beneficial microorganisms (lactobacillus plantarum, lactobacillus casei, lactobacillus fermentum, lactobacillus delbrueckii, bacillus subtilis, saccharomyces cerevisiae, rhodopseudomonas palustris), colloidal trace minerals.

Inactive Ingredients - Water, Molasses

plusMinerals, Inc.
Bay Springs, MS 39422
www.plusminerals.com
888-665-7378